

The Past, Present & Future Developments of Medical Cannabis in Thailand



















MEDICAL CANNABIS



2018 MEDICAL CANNABIS LANDSCAPE

Thai Traditional Medicine

Modern Cannabis Medicine

THE IMPACT & CONTRIBUTIONS OF MEDICAL CANNABIS DATA

Medical Cannabis Patient Data


Government Pharmaceutical Organization (GPO), Thai Food and Drug Administration (Thai FDA)

2023 MEDICAL CANNABIS LANDSCAPE

Available Types of Medical Cannabis

FUTURE CHALLENGES & POTENTIAL DIRECTION


SPECIAL OFFER FROM FRESH MEDIQ

















ยาสมุนไพร น้ำมันเบญจงันธ์

Herbal Medicine Benjakhan

ลำดับ		ตัวยา	น้ำหนักยา
1	น้ำมันงาม้อน	Perilla Seed Oil	1 aou Part
2	น้ำมันรำข้าอ	Rice Bran Oil	1 a'ou Part
3	น้ำมันขมิ้นชัน	Cumin Oil	1 ส่วน Part
4	น้ำมันมะพร้าว	Coconut Oil	1 dou Part
5	น้ำมันกัญชา	Cannabis Oil	1 ส่วน Part

ข้อบ่งใช้: ช่วยให้นอนหลับ ผ่อนคลายจิตใจ Indications: Sleep Disorder, Mild Sedative

ยาสมุนไพร ตรีศิวะคุณ Herbal Medicine Drisiwakoon

ลำดับ	ă	วยา	น้ำหนักยา
1	สะค้าน	Piper	1 dou Part
2	พักแพวแดม	Amaranth	1 dou Part
3	ดองดึง	Flame Lily	1 dou Part
4	ว่านน้ำ	Sweet Flag	1 dou Part
5	มหาหิงคุ์	Asafetida	1 dou Part
6	เนื้อในฝักราชพฤกษ์	Golden Shower Tree	1 dou Part
7	โกฐสอ	Wild Angelica	1 dou Part
8	โกฐพุมปลา	Malayan Urn Vine	1 dou Part
9	โกฐจุฬาลัมพา	Sweet Worm Wood	1 dou Part
10	กัญชา	Cannabis	1 dou Part
11	ąα₩α	Bengal Arum	1 dou Part
12	ชะเอมเทศ	Liquorice	1 dou Part
13	ดีปลี	Long Pepper	1 dou Part
14	แก่นแสมทะเล	Grey Mangrove	1 dou Part
15	พริกไทย	Pepper	7 dou Part
16	แกนสับปะรด	Pineapple (Core)	1 dou Part
17	เถาวัลย์เปรียง	Derris Scandens	1 dou Part

ข้อบ่งใช้: บรรเทาอาการปัสสาวะขัด ปัสสาวะไม่พุ่ง ปัสสาวะไม่สุด ต่อมลูกหมากโต Indications: Urinary System Disorder, Enlarged Prostate



GPO CANNABIS OIL



Government Pharmaceutical Organization









DOSAGE

- **♦ 1,000mg CBD**
- ♦ 10% CBD Isolate
- ♦ 4mg CBD / 1 Drop

DOSAGE

- ♦ 135mg THC & 125mg CBD
- **♦ 2.7% THC : 2.5% CBD Isolate**
- ♦ 1mg THC & 1mg CBD / 1 Drop

DOSAGE

- ♦ 65mg THC
- ♦ 1.3% THC Isolate
- ♦ 0.5mg THC / 1 Drop

DOSAGE

- ♦ 810mg THC
- ♦ 8.1% THC Isolate
- ♦ 3mg THC / 1 Drop

FULL SPECTRUM ISOLATE COMPOUND CBN THC **CBGA CBD CBC** THC DASH **PART** OH **CBG** PINCH **CBD CBDV CBDA THCV** THC: CBD 1:1 DTAM GANJA OIL (DEJA FORMULA) CANNABIS OIL 5 mL น้ำมันกัญชา (สำรับหมอเดชา) DTAM THC: CBD 1:1 น้ำมันกัญชา CANNABIS OIL THAI TRADITIONAL MEDICINE MODERN MEDICINE MODERN MEDICINE TRADITIONAL MEDICINE Doctors of Medicine (M.D.) Doctors of Medicine (M.D.) T.T.M., A.T.M. Doctors of Thai Traditional Medicine (TTM, ATM)

แผนผังการปฏิบัติงาน - New Patient



สวัสดี

- 1. จุดคัดกรอง
- 2. อธิบายขั้นตอนการเข้ารับ
- 3. แจ้งบริการทางการแพทย์


ลงทะเบียน

- 1. บัตรประชาชน / Passport
- 2. ผลตรวจเลือด (ถ้ามี)

วัดสัญญาณชีพ

1. Temp, PR, RR, BP Height, Weight





เจ้าหน้าที่ สรุปการรักษา

- 1. แจ้งรายละเอียดใบสั่งยา และราคา
- 2. แจ้งรายละเอียดใบยินยอม
- 3. ชำระค่ารักษาพยาบาล

พบแพทย์แผนปัจจุบัน


- 1. ซักประวัติ /การตรวจประเมิน
- 2. จ่ายยาสารสกัดกัญชาทางการแพทย์
- 3. ตรวจเลือด (CBC, AST, ALT, Scr, GFR)



พยาบาล ตรวจแลปที่แพทย์สั่ง

1. เตรียมทิ้วเขียนชื่อผู้ป่วย

รับยา ใบรับรองแพทย์ และใบเสร็จรับเงิน









แพทย์



_



พยาบาล




ติดตามผลการรักษา 7 วัน

- 1. ส่งผลแลป อีเมลล์
- 2. ติดตามผลการรักษาทางมือถือ อีเมลล์



แผนผังการปฏิบัติงาน - Follow Up












แพทย์





REGISTRATION MEDICAL CANNABIS



Age Height cm Weight kg Thailand Address Email Address Thailand Phone Number What are your health problems? How do you treat these problems? Diagnosed Disease Drug / Food Allergy	lems?
What are your health problems? How do you treat these problems	lems?
What are your health problems? How do you treat these problems	lems?
	lems?
Diagnosed Disease Drug / Food Allergy	
Diagnosed Disease Please List All Surgeries By Year Please List All Current Medic	ations
Are you pregnant? NO YES Breast feeding? NO YES	
How long have you used Cannabis?	
Never 1-6 Months 1-2 Years 3-5 Years 5-10 Years 1	0+Years
When was the last time you used Cannabis?	
N/A Today 2-3 Months Ago 6-9 Months Ago 1+Y Why did you use Cannabis?	rears Ag
Why did you use Cannabis?	
N/A Dr Prescribed Therapy Self Medicated Therapy Recrea	tion / Fu
FRESH MEDIQ 092 971 5159 489/2 View Talay Condo 4 Medical Condo 4 I have provided accurate information and confirm all information I have reviewed the INFORMED CONSENT and hereby authorize FRESH MEDIQ to treat me as a medical cannabis patient.	
092 971 5159 489/2 View Talay Condo 4 Moo 12 Jomtien Soi 5 Nongprue Banglamung Chonburi 20150 Signature Date	

CONSULTATION



*			- I KLSII 9 IVILDIQ -
Date	HN		
Name			
V	TTAL SIGNS		DOCTOR OF MEDICINE M.D.
Time			cc:
BP	2 mm/Ha		PI:
	1	PR /min	PE:
Temp °C BP	пшл-пд	PR /min	Dx:
Height cm Wei	ght kg	RR /min	
			D
	QR CODE		R Prescription
			☐ THC Oil 81mg
			☐ THC Oil 13mg
			MIX Oil 27mg : 25mg
			☐ CBD Oil 5mg : 100mg
			Cannabis Flower
			☐ Medication
FOLLOW UF)		
rollow or วันที่	ผู้ให้ข้อมูล		ช่องทางการติดตาม
31811		แล	
จำนวนที่ใช้	ข ขข		
หยดใต้ลิ้น ครั้ง/วัน	หยด/ครั้ง	รับประทาน ค	รั้ง/วัน แคปซูล/ครั้ง สูบ ครั้ง/วัน mg/ครั้
อาการไม่พึ่งประสงค์			
มินเวียนศรีษะ (Dizziness)		ผิดปกติ (Abnormal	
สับสน (Disorientation)		(Hallucination)	แสียความสมดุล (Loss of Co-ordination)
■หัวใจเต้นช้า (Bradycardia) กระวนกระวาย	(Agitation)	่ ไม่มี
อาการผู้ป่วย			พึ่งพอใจมาก
■ดีขึ้น ระบุเหตุผล■ไม่เปลี่ยมแปลง ระบางตบล			
ไม่เปลี่ยนแปลง ระบุเหตุผล□ แม่ลง ระบุเหตุผล			พอใจ
แย่ลง ระบุเหตุผล			
			เฟรช เมดิก คลินิกFRESH MEDIQ092 471 9159092 971 5159489/2 วิวทะเลเรสซิเด็นซ์คอนโด 4489/2 View Talay Condo 4
ขื่อผู้ซักประวัติ		วันที่	หมู่ 12 จอมเทียนซอย 5 Moo 12 Jomtien Soi 5 Nuองปรือ บางละมุง ชลบุรี 20150 Nongprue Banglamung Chonburi 201

PDI

PAIN DISABILITY INDEX



Clinic Registration Number: 20101008064 Thai 092 471 9159 Eng 092 971 5159 489/2 View Talay Condominium 4 Moo 12 Jomtien Soi 5 Nongprue Banglamung Chonburi 20150

Please circle the number on the scale that describes the level of disability you typically experience. A score of 0 means no disability at all, and a score of 10 signifies that all of the activities in which you would normally be involved have been totally disrupted or prevented by your pain.

Family/Home Responsibilities

This category refers to activities of the home or family. It includes chores or duties performed around the house (e.g. yard work) and errands or favors for other family members (e.g. driving the children to school).

1	2	3	4	5	6	7	8	9	10
No Dis	sability							Worst 1	Disability

Recreation

This disability includes hobbies, sports, and other similar leisure time activities.

1	2	3	4	5	6	7	8	9	10
No Dis	sability							Worst 1	Disability

Social Activity

This category refers to activities, which involve participation with friends and acquaintances other than family members. It includes parties, theater, concerts, dining out, and other social functions.

1	2	3	4	5	6	7	8	9	10
No Di	sability							Worst	Disability

Occupation

This category refers to activities that are part of or directly related to one's job. This includes non-paying jobs as well, such as that of a housewife or volunteer.

1	2	3	4	5	6	7	8	9	10
No Dis	ability							Worst 1	Disability

Sexual Behavior

This category refers to the frequency and quality of one's sex life.

1	2	3	4	5	6	7	8	9	10
No Dis	sability							Worst 1	Disability

Self Care

This category includes activities, which involve personal maintenance and independent daily living (e.g. taking a shower, driving, getting dressed, etc.)

1	2	3	4	5	6	7	8	9	10
No Dis	ability							Worst	Disability

Life-Support Activities

This category refers to basic life supporting behaviors such as eating, sleeping and breathing.

1	2	3	4	5	6	7	8	9	10
No Dis	sability							Worst	Disability

SIGNATURE NAME DATE

ISI

Insomnia Severity Index



Thai 092 471 9159 Eng 092 971 5159 489/2 View Talay Condominium 4 Moo 12 Jomtien Soi 5 Nongprue Banglamung Chonburi 20150

For each question, please CIRCLE the number that best describes your answer.

Please rate the CURRENT SEVERITY of your insomnia problem(s) (i.e. LAST 2 WEEKS).

Insomnia Problem	None	Mild	Moderate	Severe	Very Severe
1. Difficulty falling asleep	0	1	2	3	4
2. Difficulty staying asleep	0	1	2	3	4
3. Problems waking up too early	0	1	2	3	4

he quality o	E to others do of your life?	o you think your slo	eep problen	n is in terms of
0	1			
Noticeable	A Little	2 Somewhat	3 Much	4 Very Much Noticeable
ORRIED or	DISTRESSE	ED are you about y	our current	sleep problem?
0	1	2	3	4
t Worried	A Little	Somewhat	Much	Very Much Worried
	0 t Worried extent do yo	0 1 t Worried A Little extent do you consider y	0 1 2 t Worried A Little Somewhat extent do you consider your sleep problem	ORRIED or DISTRESSED are you about your current O 1 2 3 t Worried A Little Somewhat Much extent do you consider your sleep problem to INTERF ioning (e.g. daytime fatigue, mood, ability to function a

NAME	SIGNATURE	DATE
NAME	NICTION LINE	
TVAIVIL	BIGINATURE	DAIL

INFORMED CONSENT





MEDICAL MARIJUANA





คลินิกการให้บริการกัญชาทางการแพทย์ (Medical Cannabis Clinic) แผนพัฒนาระบบบริการสุขภาพ (Service Plan) สาขาการให้บริการกัญชาทางการแพทย์



Medical practitioners have explained and provided the following information to patients or caregivers (parents or legal representatives of pediatric patients aged not over 18 years of age or persons with physical or mental disabilities. Which cannot be decided by oneself) and expressed consent to the use of narcotics of category 5 (medical marijuana) in the treatment of diseases or conditions of patients by signing as a joint evidence in this document.

Note: Medical practitioners cannot assign others to be responsible for proceeding with informed consent for use of drugs in category 5 (medical marijuana) in the treatment of diseases or Patient's condition

1. Approval and product certification status by the Food and Drug Administration

This marijuana product has not been certified for quality, effectiveness, and safety by the Food and Drug Administration for sale on the market. Therefore, this marijuana product may have different levels of important active ingredients for different production models. However, the product sold has test results from analytical laboratories showing that the product is not contaminated. The heating of heavy metals, pesticides or other contaminants are not exceeding standards to cause harm to consumer health.

2. The use of narcotics of category 5, specifically marijuana, may cause addiction.

- There is clear information and educational reports that confirm the use of medical marijuana can lead to tolerance, which means getting used to the drug for repeated use, resulting in increased dosages or higher dosages to achieve the desired effectiveness. In addition, may cause drug or drug dependence, both physically and mentally.
- If I have feelings or thoughts about wanting to increase the dosage or the need for higher amounts and frequency of marijuana, I will inform the treating physician to assess, adjust the size of use or plan the next treatment.
- 3. Warnings, precautions and side effects that may occur from the use of narcotics of category 5, only marijuana. Warnings and precautions for using drugs to be punished in category 5, specifically marijuana are as follows:
 - (1) Do not use for people who have previously been allergic to marijuana and other compounds in marijuana products.
 - (2) Avoid the use of marijuana in pregnant women. Lactating women, including women of reproductive age who do not have contraceptives or women who are planning to become pregnant.


1 of 3

(3) Cannabis should not be used with a predominant amount of active ingredient THC (delta-9tetrahydrocannabinol) in persons under the age of 25, except in cases where the doctor considers that the patient benefits more than the risk.


- (4) Cannabis should not be used in patients with severe coronary artery disease or cerebrovascular disease. Cannabis may cause low blood pressure, sometimes it can cause high blood pressure, syncope, or unconsciousness, myocardial infraction, and/or stroke.
- (5) Cannabis should not be used in patients with severely impaired liver or kidney function.
- (6) Cannabis should not be used with a significant amount of active ingredient THC (delta-9tetrahydrocannabinol), especially marijuana that has a high concentration of THC, for patients with a history of psychiatric disorders (such as psychosis, schizophrenia, anxiety and mood disorders) or having a family history of schizophrenia.
- (7) Cannabis should not be used continuously for a long time as drug addiction may occur. Unless the doctor ordered regular usage, treatment should be evaluated periodically via consultation with a certified doctor before stopping medication because it is necessary to reduce the dosage gradually to prevent withdrawal symptoms.
- (8) If you are treated with tranquilizers or other psychotropic drugs, patients must notify a doctor and if used in combination with marijuana, must be used with caution due to the central sedative effect or increased psychoactive effects.
- (9) Cannabis should be used with caution in patients with a history of substance abuse, including those with a history of alcohol dependence.
- (10) If there is an allergic reaction to the drug, such as a rash, swollen mouth, swollen eyes, swollen face, stop using the drug and consult a doctor or pharmacist.
- (11) Cannabis may cause drowsiness; therefore patients should not drive a vehicle, work with machinery, or work in dangerous environments.
- Possible side effects of marijuana use include drowsiness, dizziness, anxiety, confusion, dry mouth, nausea, short-term memory deficiency, euphoria, blurred vision, low blood pressure, no concentration, impaired movement skills, psychosis, paranoia, mental symptoms, lack of enthusiasm depression and / or restlessness. There is also data supporting that medical marijuana use, especially those under the age of 25 can have long-term problems with concentration, memory, learning, drug abuse and psychiatric disorders.
 - I will inform the treating physician if any of the above side effects occur.
 - I will inform the treating physician if I experience depression, psychiatric symptoms, thoughts of suicide, crying without reason, abnormal sleeping habits, extreme fatigue, increased irritability, anger, or begin to separate from family and / or friends.
- 4. Risks, benefits and interaction between drugs of cannabis
 - There is information that many drugs have risks, benefits, and interactions with cannabis. Many medications, when combined, can cause serious adverse reactions and may be fatal. As in the following examples:
 - When used together, these drugs can increase the effect or toxicity of such drugs. For example, opioid painkillers such as morphine, codeine, oxymorphone, central sedative drugs such as benzodiazepines, macrolides disinfectants, calcium channel blockers, cyclosporine, sildenafil, antihistamines, haloperidol, SSRIs such as fluoxetine, escitalopram, sertraline, statins such as atorvastatin, other simvastatin such as warfarin etc.
 - Marijuana when used together with these drugs will increase the level of marijuana in the body and the effect of marijuana. For example, antiviral drugs such as ritronavir lopinavir, bactericidal drugs such as erythromycin, clarithromycin, fungicides such as ketoconazole, fluconazole, itraconazole, others such as diltiazem, verapamil.

2 of 3

DRUG INTERACTIONS




CB1 & CB2 RECEPTORS





DECREASE TOXICITY



PRESCRIPTION



Date 04 / 05 / 2022

Name Mr. Barton Walters 650123

ไทย 092 471 9159

hello@FRESHMEDIQ.com Eng 092 971 5159 patient@FRESHMEDIQ.com

489/2 วิวทะเลเรสซิเด้นซ์คอนโดมิเนียม 4 หมู่ 12 จอมเทียนซอย 5 ต.หนองปรือ อ.บางละมุง จ.ชลบุรี 20150

Treatment Program			I	nstructions	ร คำแนะนำ		Quantity	Unit	Price / Unit	Total Price
โปรแกรมการรักษา	CODE	Dose ปริมาณ	per Day ครั้งต่อวัน	Total Days รวมวัน	Total Dose ปริมาณทั้งหมด	Notes หมายเหตุ	จำนวน	ยูนิต	ราคา / ยูนิต	ราคารวม
GPO THC Forte 10mL		2 drop	1 time	60 days	120 drops	PM	1	bottle	₿ 2,900	₿ 2,900
GPO CBD 10mL		2 drop	1 time	60 days	120 drops	AM	1	bottle	₿ 2,900	₿ 2,900
Dr. Fees										N/A
Shipping										FREE

INSTRUCTIONS

- 1. Take 1-2 Drops **UNDER THE** TONGUE.
- 2. Do **NOT** immediately eat or drink after dropping Cannabis Oil for at least 20 min.
- 3. Effective dosage results in mild intoxication.



DOSAGE

- ♦ 1,000mg CBD
- ♦ 10% CBD Isolate



- ♦ 135mg THC & 125mg CBD
- ♦ 2.7% THC : 2.5% CBD Isolate



DOSAGE

- ♦ 65mg THC
- ♦ 1.3% THC Isolate



DOSAGE

- ♦ 810mg THC
- ♦ 8.1% THC Isolate






870-2-27659-5

DR. NUTTAMON LE MEN

Grand Total รวมทั้งหมด

FRESH MEDIQ AUTHORIZATION

\$5,800



MEDICAL CANNABIS



PATIENT MANAGEMENT STATISTICS & EFFICACY


















GENDER	NO. PATIENTS
Male	535
Female	104
Total Patients	639




AGE GROUP	NO. PATIENTS
20-29	30
30-39	98
40-49	141
50-59	133
60-69	153
70-79	72
80-89	12
Total Patients	639





DISEASE	NO. PATIENTS
Chronic Pain	316
Insomnia	190
Cancer	45
Depression	19
PTSD	16
Anxiety	14
Parkinson's Disease	12
Hypertension	7
Psoriasis	5
Multiple Sclerosis	4
Myalgia	4
Tourette syndrome	1
Stroke	3
Glaucoma	3
Total Patients	639



INSOMNIA	CASE #1
Nationality	Estonian
Gender	Male
Age	32
Sleep Hours BEFORE	4.50
Sleep Hours AFTER	7.50
Prescription	THC:CBD 5mL
Dosage	5mg THC:CBD






INSOMNIA	CASE #2
Nationality	Brazil
Gender	Male
Age	34
Sleep Hours BEFORE	2.50
Sleep Hours AFTER	6.50
Prescription	THC:CBD 5mL
Dosage	5mg THC:CBD





INSOMNIA	CASE #3
Nationality	British
Gender	Male
Age	75
Sleep Hours BEFORE	4.50
Sleep Hours AFTER	6.50
Prescription	THC:CBD 5mL CBD 10mL
Dosage	4mg THC 20mg CBD






CHRONIC PAIN	CASE #1
Nationality	Canadian
Gender	Male
Age	70
Diagnosis	Cervical Neuropathy
Pain Score BEFORE	7.50
Pain Score AFTER	7.50
Prescription	THC 10mL
Dosage	40mg THC





CHRONIC PAIN	CASE #2
Nationality	American
Gender	Male
Age	67
Diagnosis	Scoliosis, Arthritis
Pain Score BEFORE	6.00
Pain Score AFTER	6.00
Prescription	THC 10mL
Dosage	40mg THC





Pain Score AFTER




CHRONIC PAIN	CASE #3
Nationality	Indian
Gender	Male
Age	41
Diagnosis	Herniated Disc
Pain Score BEFORE	10.00
Pain Score AFTER	10.00
Prescription	THC 10mL
Dosage	32mg THC



Pain Score BEFORE

Pain Score AFTER

PARKINSON'S DISEASE	CASE #1
Nationality	Italian
Gender	Male
Age	83
PDQ-8 BEFORE	65.00
PDQ-8 AFTER	28.00
Onset of Action Minutes	17.00
Duration of Action Minutes	210.00
Prescription	THC 10mL
Dosage	5mg THC






PARKINSON'S DISEASE	CASE #2
Nationality	Canadian
Gender	Male
Age	63
PDQ-8 BEFORE	48.00
PDQ-8 AFTER	14.00
Onset of Action Minutes	15.00
Duration of Action Minutes	90.00
Prescription	THC 10mL
Dosage	15mg THC



PARKINSON'S DISEASE	CASE #3
Nationality	American
Gender	Male
Age	67
PDQ-8 BEFORE	80.00
PDQ-8 AFTER	55.00
Onset of Action Minutes	20.00
Duration of Action Minutes	150.00
Prescription	THC 10mL
Dosage	20mg THC



Onset of Action Minutes Durat


Duration of Action Minutes

THC FORTE Letter

Dr. Nuttamon Le Men MD








THÁI	E.d. 0				
RT CASE: 0 - เข้าตรวจพบค					
อนไขก่อนกรอกข้อมูลให้ครบ)					
itn : 1/2/2563					
การครวจ: 🔾 ส์กายยา 🖲 ฉักสุดากา	n(bitrasn) 🗈 25/09/2563 💌				
	ไม่พื้นประสงค์ 📵 พระหลุกกรณ์ไม่พื้นประสงค์(ในบลกร	รดาราเละเลียดในส่วนที่ 6)			
รใช้ยาอื่นๆ : 💿 ซะกกัญชางผ่านติด	1 O Tessustrusidas				_
เส้ 1 รับบุทพม่วยงานสำคักกรรักษา ชาวอยาภา		forte			_
ที่ขึ้น สหคลังนิก		ชลบุรี			
nightlingen/comig/remiteer methodjo ideasus. Il caru					
บุความเชี่ยวชาญ					
lon ประกอบวิชาชีพเวชกรรม		refellerquit RA10035			
		© ∂mmedosymmed			
		O třařín			
เพื่ 2 ซึ่งมูลทั่วใหม่รู้ข้าย					
	drahesil of layous sequ		umradalos	nneu(ttelir)	
103-3-000588	ADITI JAIN		Z3561909 √mdn		
ะเภท	เชื้อชาติ : อินเดีย	Turketis =	60.2	ecraeliu (BP) / mmhg	
∯03usion	เทศ : หญิง	one; 29	frue: 168	105 g 60 Sec. Sec. (46) / hors	
ຫຼີບ້ານໃນ		20		tar, Sann (HR) / tipns 86	
				gewyk (81) / °C 36.5	
เครรภ์(เฉพาะเพศหญิง)	ให้นมบุตร(เฉพาะเทศหญิง)	คื่มแอลูกอุฮอล์	สูบบุหรี่	โรคประจำตัว 💿 นม 🔾 ถ	
18 0	O W	All Jakes on	● 4n	(=0)	
Taftió	● IMTH	O 1476	○ Taligu		
Talenton	○ Yalmanu			อาการแพ้ยา 💿 ъแ	
				ξευψ	
		⊘ เก็ฟก			
ที่ 3 รับบุคการใช้เพิ่มกัดสกัญชา					
				O និមានអនិងអ្នងការ នៃវិហា(ការណ៍នគរៈដែរគឺអនិងគឺ) មា	Nignfort
todačini fodačini ocoposa GPO THC:CBI	D(1:1)		urredo R620032		
SO SECUL					
iβu v 2 votiko:	MUR	• 1		ครื่อ	
เดให้สิ้น	swaetlin				
ลาการใช้ชา 🗆 🕁 🗆 กลาสัน (☐ iðu ☑ forsæru 50	7s			
namej					
คหรือสาเหตุที่ใช้ผลิตภัณฑ์กัญชา					
n × NONORGANIC INSOMINIA				○ austerrys	

Defenses Defense
สารแสนาราช ในการเคลื่อนไทว :
ความสามารถในการเคลื่อนโรว โมชิสุขา ชิสุขาสันสม ชิสุขาสาสันย ชิสุขาสาสาสาร ชิสุขาสาสาสาร ชิสุขาสาสาสาร ชิสุขาสาสาสาร ชิสุขาสาสาสาร ชิสุขาสาสาสาร ชิสุขาสาสาร ชิสุขาสาร ชิสุขาสาสาร ชิสุขาสาร ชิจุขาสาร ชิสุขาสาร ชิ
การทำวังสาประจำรับ :
ความก้ายแรง รางเปลี่ยนโดกลอบเคียงข้อเสียง รางเกี่ยวการเกี่ยว รางเกี่ยวการะเกี่ยวการเกี่ยวการเกี่ยวการเกี่ยวการเกี่ยวการเกี่ยวการเกี่ยวการะ
ความก้ายแรง
๑ ร้างเกาส์อ(เรื่องของเพียงกับสิ่น) ๑ อังเการอังโล ๑ ๑ เกาส์อังเล่ารับเการที่งานไม่เหลาบาก ๑ เก่าได้เพียงของระบัง ๑ การเด็จกระบางให้ความสามาก ๑ เกาะเล้องเกลี่มดีรับมีความหากให้ป ๑ การเด็จกระบางเป็น ความหาก ๑ การเด็จกระบางเป็น ความหาก ๑ เกาะเลืองเกาะเล็ม ความหาก ๑ เกาะเล็จกระบางเล็ม ความหาก ๑ เกาะเล็ม ความหาก
เมื่อเรื่อง เมื่อเรื่อง เมื่อเรื่อง เมื่อเรื่อง เมื่อเลือง
เหตุการณ์ไม่พึงประสงค์ที่พบ (บรรยายลักษณะที่พบ และ/หรือ ศัพท์วิชาการ) เลือก ผลสัพธ์
ผลลัพธ์ ○ พระบินเวลิโดยในมีร่องระยงลัด ○ ทายโดยมีร่องระยงลัด ○ อากาสรี่นแต่จังให่พาย ○ จังมีอาการอยู่ ○ เลิงซีโด(เลือกดบระที่จะร่องสังกั) ○ ไม่สามารอภัดตามหลได้ ระดับความสัมพันธ์ วิธีประเมินแบบ ○ Naranjo's ○ Thai algorithm ○ WHO ○ ความเห็นผู้เพียงชาญ* ○ อินๆ ***********************************
ผลลัพธ์ ○ ทางป้างปละโดยในมีรังกรองเลิน ○ ทางโดยมีร่องกอยเลิน ○ อากาสที่ขณะ่องให่พาย ○ อังมีอาการอยู่ ○ เลิงซีโด(เลือกดองเพิ่องร่องสังก) ○ ไม่สามารอภัดตาลหลได้ ระดับความสัมพันธ์ วิธีประเมินแบบ ○ Naranjo's ○ Thai algorithm ○ WHO ○ ความเห็นผู้เรี่ยวชาญ* ○ อ็นๆ ***********************************
 ○ พายเป็นปกลิโลยไล่ที่ร่องรอบลัล ○ หายโดยสีร่องรอบลัล ○ อากาลิซึ่นแต่นี้ได้หาย ○ ยังมีอาการอยู่ ○ เลียซิโด(เลือกดอนเพิ่มข้อเลียา) ○ ได้สามารอดิตตาลผลได้ วิธีประวัติบระนั้นแบบ ○ Naranjo's ○ Thai algorithm ○ WHO ○ ความเลียกุ๋สีเราชาญ* ○ ถึนๆ ************************************
ริธีประเพิ่มแบบ (Naranjo's () Thai algorithm () WHO () ความเพิ่มผู้เกี่ยวชาญ" () ยินๆ และการประเมิน
Ochuments Others Others
Oxioneros Oxioneros
สามที่ 7 ร้อมูลเลขาะห้องปฏิบัติการที่มีสบาที
mytmensillemin Lab Allminit
Chocosa File No file chosen □ ਪੁੱਖਗੌਂnใਲੇਵੰਡਪਾ □ ਪੁੱਖਗੌਂnใਲੇਵੰਡਪਾ □ ਪੁੱਖਗੌਂn ਲਿੰਦ ਸ਼ਿਲ੍ਹ ਸ਼ੁਰੀ □ ਪੁੱਖਗੌਂn ਲਿੰਦ ਸ਼ੁਲ੍ਹ ਸ਼ੁਰੀ
สารณี 8 จัดบุละลการรักษา (ความเพิ่มของเมพาย์ผู้ให้การรักษา)
O อาจารผู้บ้ายพิธีน O อาการผู้บ้ายแม่น O อาการผู้บ้ายแม่นที่ยนแปลง ระบุกายุกก
การประเมินการเสพติดและการนำยาไปใช้ในทางที่ผิด
O พบแนวให้เหตุ้ยวะใช้ยาในทางที่จัด O ไม่พบแนวให้หตุ้ยวยใช้ยาในทางที่จัด
ผลประเมินคุณภาพซีวิต คะแนกระหะเล
⊙ třeřín

























expats

FREE IV VITAMIN DRIP

RESH MEDIQ

REGENERATE

expats

