


Recreational vs Medical

Cannabis in Thailand




RECREATIONAL vs MEDICAL



- 1. NEEDS VS WANTS
- 2. PRODUCTS & PRODUCTION METHODS
- 3. TESTING CANNABINOIDS & CONTAMINANTS
- 4. UNDERSTANDING HOW CANNABIS WORKS ON THE BRAIN
- 5. SPECIAL EVENT AT FRESH MEDIQ

















ยาสมุนไพร น้ำมันเบญจงันธ์

Herbal Medicine Benjakhan

| ลำดับ | | ตัวยา | น้ำหนักยา |
|-------|----------------|------------------|-------------|
| 1 | น้ำมันงาม้อน | Perilla Seed Oil | 1 ส่วน Part |
| 2 | น้ำมันรำง้าว | Rice Bran Oil | 1 a'ou Part |
| 3 | น้ำมันขมิ้นชัน | Cumin Oil | 1 ส่วน Part |
| 4 | น้ำมันมะพร้าว | Coconut Oil | 1 dou Part |
| 5 | น้ำมันกัญชา | Cannabis Oil | 1 ส่วน Part |

ข้อบ่งใช้: ช่วยให้นอนหลับ ผ่อนคลายจิตใจ Indications: Sleep Disorder, Mild Sedative

ยาสมุนไพร ตรีศิวะคุณ Herbal Medicine Drisiwakoon

| ลำดับ | à | วยา | น้ำหนักยา |
|-------|--------------------|--------------------|------------|
| 1 | สะค้าน | Piper | 1 dou Part |
| 2 | ผักแพวแดม | Amaranth | 1 dou Part |
| 3 | ดองดึง | Flame Lily | 1 dou Part |
| 4 | ว่านน้ำ | Sweet Flag | 1 dou Part |
| 5 | มหาหิมคุ์ | Asafetida | 1 dou Part |
| 6 | เนื้อในฝักราชพฤกษ์ | Golden Shower Tree | 1 dou Part |
| 7 | โกฐสอ | Wild Angelica | 1 dou Part |
| 8 | โกฐพุมปลา | Malayan Urn Vine | 1 dou Part |
| 9 | โกฐจุฬาลัมพา | Sweet Worm Wood | 1 dou Part |
| 10 | กัญชา | Cannabis | 1 dou Part |
| 11 | ąαਔα | Bengal Arum | 1 dou Part |
| 12 | ชะเอมเทศ | Liquorice | 1 dou Part |
| 13 | ดีปลี | Long Pepper | 1 dou Part |
| 14 | แก่นแสมทะเล | Grey Mangrove | 1 dou Part |
| 15 | พริกไทย | Pepper | 7 dou Part |
| 16 | แกนสับปะรด | Pineapple (Core) | 1 dou Part |
| 17 | เกาวัลย์เปรียง | Derris Scandens | 1 dou Part |

ข้อบ่งใช้: บรรเทาอาการปัสสาวะขัด ปัสสาวะไม่พุ่ง ปัสสาวะไม่สุด ต่อมลูกหมากโต Indications: Urinary System Disorder, Enlarged Prostate



GPO CANNABIS OIL



Government Pharmaceutical Organization









DOSAGE

- ♦ 1,000mg CBD
- ♦ 10% CBD Isolate
- ♦ 4mg CBD / 1 Drop

DOSAGE

- + 135mg THC & 125mg CBD
- ♦ 2.7% THC : 2.5% CBD Isolate
- + 1mg THC & 1mg CBD / 1 Drop

DOSAGE

- ♦ 65mg THC
- ♦ 1.3% THC Isolate
- ♦ 0.5mg THC / 1 Drop

DOSAGE

- ♦ 810mg THC
- ♦ 8.1% THC Isolate
- +3mg THC/1 Drop

ISOLATE FULL SPECTRUM **COMPOUND CBN** THC **CBGA CBD** CBC THC DASH **PART** OH **CBG** PINCH **CBD CBDV CBDA THCV** THC: CBD 1:1 DTAM GANJA OIL (DEJA FORMULA) CANNABIS OIL 5 mL น้ำมันกัญชา าใช้สำหรับคุ้นวัยที่อยู่ในโทรจากรอัดตามหล การใช้นำนับที่กุฎกหารนับ ห้านจำหนาย" จริงโทรจากรวิจัย : 36/2562 กัญชาในข้านในเหล่าว ความเซ็มชั้น 10% ของน้ำคน DTAM THC: CBD 1:1 น้ำมันกัญชา CANNABIS OIL MODERN MEDICINE MODERN MEDICINE TRADITIONAL MEDICINE THAI TRADITIONAL MEDICINE Doctors of Medicine (M.D.) Doctors of Medicine (M.D.) T.T.M., A.T.M. Doctors of Thai Traditional Medicine (TTM, ATM)

แผนผังการปฏิบัติงาน - New Patient



สวัสดี

- 1. จุดคัดกรอง
- 2. อธิบายขั้นตอนการเข้ารับ
- 3. แจ้งบริการทางการแพทย์

ลงทะเบียน

- บัตรประชาชน / Passport
- 2. ผลตรวจเลือด (ถ้ามี)



1. Temp, PR, RR, BP Height, Weight



เจ้าหน้าที่ สรุปการรักษา

- 1. แจ้งรายละเอียดใบสั่งยา และราคา
- 2. แจ้งรายละเอียดใบยินยอม
- 3. ชำระค่ารักษาพยาบาล




- 1. ซักประวัติ /การตรวจประเมิน
- 2. จ่ายยาสารสกัดกัญชาทางการแพทย์
- 3. ตรวจเลือด (CBC, AST, ALT, Scr, GFR)



พยาบาล ตรวจแลปที่แพทย์สั่ง

1. เตรียมทิ้วเขียนชื่อผู้ป่วย











แพทย์









พยาบาล




ติดตามผลการรักษา 7 วัน

- 1. ส่งผลแลป อีเมลล์
- 2. ติดตามผลการรักษาทางมือถือ อีเมลล์



แผนผังการปฏิบัติงาน - Follow Up















REGISTRATION MEDICAL CANNABIS



| | First Name & Last Name | - | Nationality | Gender |
|------------------|--|-----------------------|---|-------------------|
| PATIENT CONTACT | Age Height cm | Weight kg | Thailand Address | |
| PATIEN | Email Address | | Thailand Phone I | Number |
| Ī | What are your health prot | olems? | How do you treat | these problems? |
| ISTORY | Diagnosed Disease | | Drug / Food Aller | ду |
| MEDICAL HISTORY | Please List All Surgeries I | By Year | Please List All Cu | rrent Medications |
| | Are you pregnant? | | Breast feeding? | |
| | How long have you used Never 1-6 Months | Cannabis? | 3-5 Years 5-10 | Years 10+Years |
| CANNABIS HISTORY | When was the last time you | | ? | |
| CAN | Why did you use Cannabi | s? | | Table Carlo Carlo |
| | N/A Dr Prescribed | Therapy Sel | f Medicated Therapy | Recreation / Fur |
| CONSENT | FRESH MEDIQ 092 971 5159 489/2 View Talay Condo 4 | I have reviewed the I | rate information and confirmation and confirmation and eat me as a medical cannab | hereby authorize |
| Ĕ, | Moo 12 Jomtien Soi 5 Nongprue Banglamung Chonburi 20150 | Signature | | Date |

CONSULTATION

°C BP

cm Weight

Date

Name

Time

Height

HN

VITAL SIGNS

QR CODE

| | | FRESH MEDIQ |
|----------|------|-------------------------|
| ins | _ | DOCTOR OF MEDICINE M.D. |
| mm/Hg | | PI: |
| mm/Hg PR | /min | PE: |
| kg RR | /min | Dx : |
| E | | R Prescription |
| | | ☐ THC Oil 81mg |
| | | ☐ THC Oil 13mg |
| | | ☐ MIX Oil 27mg : 25mg |

CBD Oil 5mg: 100mg

Cannabis Flower

หมู่ 12 จอมเทียนชอย 5

Moo 12 Jomtien Soi 5

หนองปรือ บางละบุง ชลบุรี 20150 Nongprue Banglamung Chonburi 20150

☐ Medication

FOLLOW UP

วันที่

ชื่อผู้ซักประวัติ

| วันที่ | | ผู้ให้ข้อมูล | | | ช่องทางการติ | ัดตาม | | |
|--------------------------------|---------------|----------------|----------------------|---------------|---|---------------------------------------|-----------------|----------|
| | | ่ ผู้ป่วย | ผู้คูแล | | 🔲 คลินิก | ■โทรศัพท์ | ■ออนไลน์ | |
| จำนวนที่ใช้ | | | | | | | | |
| - พยดใต้ลิ้น | ครั้ง/วัน | หยด/ครั้ง | รับประทาน | ครั้ง/วัน | แคปซูล/ครั้ง | ສູນ | ครั้ง/วัน r | ทg/ครั้ง |
| อาการไม่พึงประ | ะสงค์ | | | | | | | |
| มีนเวียนศรีษ | ະ (Dizziness) | ความดัง | นโลหิตผิดปกติ (Abnor | rmal Pressure |) 🔲 วิตกกังวล | (Anxiety) | ่ ■โรคจิต (Psy | chosis) |
| 🗏 สับสน (Diso | rientation) | ประสา ก | ทหลอน (Hallucinatio | n) | 🗆 เสียความสร | มศุล (Loss o | f Co-ordination | 1) |
| ่ ■หัวใจเด้นซ้า (| (Bradycardia) | | กระวาย (Agitation) | | ไม่มี | ยื่นๆ | | |
| อาการผู้ป่วย | | | | | | | | |
| ่ ดีขึ้น ระบุเหต | ๆผล | | | ฟิงพธ | อใจมาก | | | |
| ่≣ไม่เปลี่ยนแปะ | ลง ระบุเหตุผล | | | ่ ■ พอโจ | 1 | | | |
| 🗆 แย่ลง ระบุเหตุผล | | | | ■ ไม่พยใจ | | | | |
| | | | | 092 | ร ช เมดิก คลินิก 2471 9159 22 จิจกะเอเรศซีเดินซ์คอมโ | FRESH 9 092 971 5 6 4 489/2 Vie | S0.000.000.000 | |

วันที่

PDI

NAME

PAIN DISABILITY INDEX



Please circle the number on the scale that describes the level of disability you typically experience. A score of 0 means no disability at all, and a score of 10 signifies that all of the activities in which you would normally be involved have been totally disrupted or prevented by your pair

Clinic Registration Number: 20101008064 Thai 092 471 9159 Eng 092 971 5159 489/2 View Talay Condominium 4 Moo 12 Jonntien Soi 5 Nongprue Banglamung Chonburi 20150

| ST 0.00 THE TOTAL THE TAX THE | ers to activ | ities of the | | (5) | | | performed around ving the children |
|---|---|---|--|-----------------------------------|---------------|---------------|---|
| 1 2 No Disability | 3 | 4 | 5 | 6 | 7 | 8 | 9 10 Worst Disability |
| Recreation This disability in | cludes hobl | bies, sports | , and other | similar leis | sure time ac | tivities. | |
| 1 2 No Disability | 3 | 4 | 5 | 6 | 7 | 8 | 9 10 Worst Disability |
| Social Activity This category ref family members. | | | 100 | 100 Tu las | | | naintances other tha |
| 1 2 No Disability | 3 | 4 | 5 | 6 | 7 | 8 | 9 10 Worst Disability |
| Occupation This category ref | ers to activ | ities that ar | | , dina atla, na | lata d ta ann | tale mi | |
| jobs as well, such | | | | | rated to one | e's job. Ini | s includes non-pay |
| | as that of | a housewife | e or volunt | еег. | | 0590 | 9 10 Worst Disability |
| jobs as well, such 1 2 No Disability Sexual Behavior | as that of | a housewife 4 | e or volunt | 6 6 | 7 | 0590 | 9 10 |
| jobs as well, such 1 2 No Disability | as that of | a housewife 4 | e or volunt | 6 6 | 7 | 0590 | 9 10 |
| jobs as well, such 1 2 No Disability Sexual Behavior This category ref 1 2 No Disability Self Care | as that of 3 Fers to the fines 3 | a housewift 4 requency ar 4 | 5 or volunt 5 or volunt 5 or volunt 5 or volunt | eer. 6 of one's sex 6 ersonal ma | 7 tife. 7 | 8 | 9 10 Worst Disability |
| jobs as well, such 1 2 No Disability Sexual Behavior This category ref 1 2 No Disability Self Care This category inc | as that of 3 Fers to the fines 3 | a housewift 4 requency ar 4 | 5 or volunt 5 or volunt 5 or volunt 5 or volunt | eer. 6 of one's sex 6 ersonal ma | 7 tife. 7 | 8 | 9 10 Worst Disability 9 10 Worst Disability |
| jobs as well, such 1 2 No Disability Sexual Behavior This category ref 1 2 No Disability Self Care This category inc (e.g. taking a sho | as that of 3 Fers to the fi 3 Sludes activity wer, drivin 3 | a housewift 4 requency an 4 ities, which g, getting d | or volunt 5 d quality of 5 involve pressed, etc. | eer. 6 of one's sex 6 ersonal mai | 7 intenance a | 8 nd indepen | 9 10 Worst Disability 9 10 Worst Disability dent daily living 9 10 Worst Disability |

SIGNATURE

ISI

NAME

Insomnia Severity Index



For each question, please CIRCLE the number that best describes your answer.

Clinic Registration Number: 20101008064 Thai 092 471 9159 Eng 092 971 5159 489/2 View Talay Condominium 4 Moo 12 Jomtien Soi 5 Nongprue Banglamung Chonburi 20150

DATE

Please rate the CURRENT SEVERITY of your insomnia problem(s) (i.e. LAST 2 WEEKS).

| Insomnia Problem | None | Mild | Moderate | Severe | Very Severe |
|---------------------------------|------|------|----------|--------|-------------|
| 1. Difficulty falling asleep | 0 | 1 | 2 | 3 | 4 |
| 2. Difficulty staying asleep | 0 | 1 | 2 | 3 | 4 |
| 3. Problems waking up too early | 0 | 1 | 2 | 3 | 4 |

| Difficulty staying asleep Representation of the staying asleep Problems waking up too early | | 0 | 1 | 2 | 3 | 4 |
|---|----------------|---------------------|-----------------------|---------------|----------------------|----|
| | | 0 | 1 | 2 | 3 | 14 |
| 4. How SATISFIED or | · DISSATIS | FIED are you | with your CU | JRRENT si | eep pattern? | |
| 0 Very Satisfied | 1 Satisfied | 2 Moderately Sat | 3 risfied Dissatis | fied Very | 4 Dissatisfied | |
| 5. How NOTICEABLE impairing the quality of | | 20 75 75 | our sleep prol | blem is in to | erms of | |
| 0 Not Noticeable | 1 A Little | 2 Somewh | at Muc | L 37 1 | 4 fuch Noticeable | |
| 6 How WODDIED or | nietdfes | SFD are ven al | hout vour our | rant claan n | roblem? | |
| 6. How WORRIED or | DISTRESS | ED are you ar | 3 | rent sieep p | doblem: | |
| Not Worried | A Little | Somewho | actual desired | h Very | Much Worried | |
| 7. To what extent do yo daily functioning (e.g. concentration, memory | daytime fat | igue, mood, al | bility to functi | | | |
| 0 | 1 | 2 | 3 | | 4 | |
| Not Interfering | A Little | Somewha | at Much | 1 Very | Much Interfering | |
| | | | | | | |
| | | | | | | |

SIGNATURE

INFORMED CONSENT

signing as a joint evidence in this document.



MEDICAL MARIJUANA



Moo 12 Jomtien Soi 5 Nongprue

Banglamung Chonburi 20150



คลินิกการให้บริการกัญชาทางการแพทย์ (Medical Cannabis Clinic) แผนพัฒนาระบบบริการสุขภาพ (Service Plan) สาขาการให้บริการกัญชาทางการแพทย์



Medical practitioners have explained and provided the following information to patients or caregivers (parents or legal representatives of pediatric patients aged not over 18 years of age or persons with physical or mental disabilities. Which cannot be decided by oneself) and expressed consent to the use of narcotics of category 5 (medical marijuana) in the treatment of diseases or conditions of patients by

Note: Medical practitioners cannot assign others to be responsible for proceeding with informed consent for use of drugs in category 5 (medical marijuana) in the treatment of diseases or Patient's condition

1. Approval and product certification status by the Food and Drug Administration This marijuana product has not been certified for quality, effectiveness, and safety by the Food and Drug Administration for sale on the market. Therefore, this marijuana product may have different levels of important active ingredients for different production models. However, the product sold has test results from analytical laboratories showing that the product is not contaminated. The heating of heavy metals, pesticides or other contaminants are not exceeding standards to cause harm to consumer health.

2. The use of narcotics of category 5, specifically marijuana, may cause addiction.

- There is clear information and educational reports that confirm the use of medical marijuana can lead to tolerance, which means getting used to the drug for repeated use, resulting in increased dosages or higher dosages to achieve the desired effectiveness. In addition, may cause drug or drug dependence, both physically and mentally.
- If I have feelings or thoughts about wanting to increase the dosage or the need for higher amounts and frequency of marijuana, I will inform the treating physician to assess, adjust the size of use or plan the next treatment.
- 3. Warnings, precautions and side effects that may occur from the use of narcotics of category 5, only marijuana. Warnings and precautions for using drugs to be punished in category 5, specifically marijuana are as follows:
 - (1) Do not use for people who have previously been allergic to marijuana and other compounds in marijuana products.
 - (2) Avoid the use of marijuana in pregnant women. Lactating women, including women of reproductive age who do not have contraceptives or women who are planning to become pregnant.


1 of 3

(3) Cannabis should not be used with a predominant amount of active ingredient THC (delta-9tetrahydrocannabinol) in persons under the age of 25, except in cases where the doctor considers that the patient benefits more than the risk.


- (4) Cannabis should not be used in patients with severe coronary artery disease or cerebrovascular disease. Cannabis may cause low blood pressure, sometimes it can cause high blood pressure, syncope, or unconsciousness, myocardial infraction, and/or stroke.
- (5) Cannabis should not be used in patients with severely impaired liver or kidney function.
- (6) Cannabis should not be used with a significant amount of active ingredient THC (delta-9tetrahydrocannabinol), especially marijuana that has a high concentration of THC, for patients with a history of psychiatric disorders (such as psychosis, schizophrenia, anxiety and mood disorders) or having a family history of schizophrenia.
- (7) Cannabis should not be used continuously for a long time as drug addiction may occur. Unless the doctor ordered regular usage, treatment should be evaluated periodically via consultation with a certified doctor before stopping medication because it is necessary to reduce the dosage gradually to prevent withdrawal symptoms.
- (8) If you are treated with tranquilizers or other psychotropic drugs, patients must notify a doctor and if used in combination with marijuana, must be used with caution due to the central sedative effect or increased psychoactive effects.
- (9) Cannabis should be used with caution in patients with a history of substance abuse, including those with a history of alcohol dependence.
- (10) If there is an allergic reaction to the drug, such as a rash, swollen mouth, swollen eyes, swollen face, stop using the drug and consult a doctor or pharmacist.
- (11) Cannabis may cause drowsiness; therefore patients should not drive a vehicle, work with machinery, or work in dangerous environments.
- Possible side effects of marijuana use include drowsiness, dizziness, anxiety, confusion, dry mouth, nausea, short-term memory deficiency, euphoria, blurred vision, low blood pressure, no concentration, impaired movement skills, psychosis, paranoia, mental symptoms, lack of enthusiasm, depression and / or restlessness. There is also data supporting that medical marijuana use, especially those under the age of 25 can have long-term problems with concentration, memory, learning, drug abuse and psychiatric disorders.
 - I will inform the treating physician if any of the above side effects occur.
 - I will inform the treating physician if I experience depression, psychiatric symptoms, thoughts of suicide, crying without reason, abnormal sleeping habits, extreme fatigue, increased irritability, anger, or begin to separate from family and / or friends.
- 4. Risks, benefits and interaction between drugs of cannabis
 - There is information that many drugs have risks, benefits, and interactions with cannabis. Many medications, when combined, can cause serious adverse reactions and may be fatal. As in the following examples:
 - When used together, these drugs can increase the effect or toxicity of such drugs. For example, opioid painkillers such as morphine, codeine, oxymorphone, central sedative drugs such as benzodiazepines, macrolides disinfectants, calcium channel blockers, cyclosporine, sildenafil, antihistamines, haloperidol, SSRIs such as fluoxetine, escitalopram, sertraline, statins such as atorvastatin, other simvastatin such as warfarin etc.
 - Marijuana when used together with these drugs will increase the level of marijuana in the body and the effect of marijuana. For example, antiviral drugs such as ritronavir lopinavir, bactericidal drugs such as crythromycin, clarithromycin, fungicides such as ketoconazole, fluconazole, itraconazole, others such as diltiazem, verapamil.

2 of 3

DRUG INTERACTIONS




CB1 & CB2 RECEPTORS





DECREASE TOXICITY



PRESCRIPTION



04 / 05 / 2022

Name Mr. Barton Walters 650123

ไทย 092 471 9159

hello@FRESHMEDIQ.com Eng 092 971 5159 patient@FRESHMEDIQ.com

489/2 วิวทะเลเรสซิเด้นซ์คอนโดมิเนียม 4 หมู่ 12 จอมเทียนซอย 5 ต.หนองปรือ อ.บางละมุง จ.ชลบุรี 20150

| Treatment Program | | | Instructions คำแนะนำ | | | | Quantity | Unit | Price / Unit | Total Price |
|--------------------|------|----------------|------------------------|----------------------|-----------------------------|-------------------|----------|--------|----------------|-------------|
| โปรแกรมการรักษา | CODE | Dose ปริมาณ | per Day ครั้งต่อวัน | Total Days รวมวัน | Total Dose ปริมาณทั้งหมด | Notes หมายเหตุ | จำนวน | ยูนิต | ราคา / ยูนิต | ราคารวม |
| GPO THC Forte 10mL | | 2 drop | 1 time | 60 days | 120 drops | РМ | 1 | bottle | B 2,900 | ₿ 2,900 |
| GPO CBD 10mL | | 2 drop | 1 time | 60 days | 120 drops | AM | 1 | bottle | ₿ 2,900 | 串 2,900 |
| | | | | | | | | | | |
| Dr. Fees | | | | | | | | | | N/A |
| Shipping | | | | | | | | | | FREE |

INSTRUCTIONS

- 1. Take 1-2 Drops UNDER THE TONGUE.
- 2. Do NOT immediately cat or drink after dropping Cannabis Oil for at least 20 min.
- 3. Effective dosage results in mild intoxication.



DOSAGE

- ♦ 1,000mg CBD
- ◆ 10% CBD Isolate



- ♦ 135mg THC & 125mg CBD
- ◆ 2.7% THC : 2.5% CBD Isolate
- ◆ 4mg CBD / 1 Drop
 ◆ 1mg THC & 1mg CBD / 1 Drop



DOSAGE

- ♦ 65mg THC
- ♦ 1.3% THC Isolate
- ♦ 0.5mg THC / 1 Drop



DOSAGE

- ♦ 810mg THC
- ♦ 8.1% THC Isolate
- 3mg THC / 1 Drop






870-2-27659-5

DR. NUTTAMON LE MEN

Grand Total รวมทั้งหมด

\$5,800





MEDICAL CANNABIS



PATIENT MANAGEMENT STATISTICS & EFFICACY


















| GENDER | NO. PATIENTS |
|----------------|--------------|
| Male | 535 |
| Female | 104 |
| Total Patients | 639 |



| AGE GROUP | NO. PATIENTS |
|----------------|--------------|
| 20-29 | 30 |
| 30-39 | 98 |
| 40-49 | 141 |
| 50-59 | 133 |
| 60-69 | 153 |
| 70-79 | 72 |
| 80-89 | 12 |
| Total Patients | 639 |






| DISEASE | NO. PATIENTS |
|---------------------|--------------|
| Chronic Pain | 316 |
| Insomnia | 190 |
| Cancer | 45 |
| Depression | 19 |
| PTSD | 16 |
| Anxiety | 14 |
| Parkinson's Disease | 12 |
| Hypertension | 7 |
| Psoriasis | 5 |
| Multiple Sclerosis | 4 |
| Myalgia | 4 |
| Tourette syndrome | 1 |
| Stroke | 3 |
| Glaucoma | 3 |
| Total Patients | 639 |



| INSOMNIA | CASE #1 |
|--------------------|-------------|
| Nationality | Estonian |
| Gender | Male |
| Age | 32 |
| Sleep Hours BEFORE | 4.50 |
| Sleep Hours AFTER | 7.50 |
| Prescription | THC:CBD 5mL |
| Dosage | 5mg THC:CBD |





| INSOMNIA | CASE #2 |
|--------------------|-------------|
| Nationality | Brazil |
| Gender | Male |
| Age | 34 |
| Sleep Hours BEFORE | 2.50 |
| Sleep Hours AFTER | 6.50 |
| Prescription | THC:CBD 5mL |
| Dosage | 5mg THC:CBD |






| INSOMNIA | CASE #3 |
|--------------------|-------------------------|
| Nationality | British |
| Gender | Male |
| Age | 75 |
| Sleep Hours BEFORE | 4.50 |
| Sleep Hours AFTER | 6.50 |
| Prescription | THC:CBD 5mL CBD 10mL |
| Dosage | 4mg THC 20mg CBD |





| CHRONIC PAIN | CASE #1 |
|-------------------|---------------------|
| Nationality | Canadian |
| Gender | Male |
| Age | 70 |
| Diagnosis | Cervical Neuropathy |
| Pain Score BEFORE | 7.50 |
| Pain Score AFTER | 7.50 |
| Prescription | THC 10mL |
| Dosage | 40mg THC |





| CHRONIC PAIN | CASE #2 |
|-------------------|----------------------|
| Nationality | American |
| Gender | Male |
| Age | 67 |
| Diagnosis | Scoliosis, Arthritis |
| Pain Score BEFORE | 6.00 |
| Pain Score AFTER | 6.00 |
| Prescription | THC 10mL |
| Dosage | 40mg THC |



Pain Score BEFORE



| CHRONIC PAIN | CASE #3 |
|-------------------|----------------|
| Nationality | Indian |
| Gender | Male |
| Age | 41 |
| Diagnosis | Herniated Disc |
| Pain Score BEFORE | 10.00 |
| Pain Score AFTER | 10.00 |
| Prescription | THC 10mL |
| Dosage | 32mg THC |



Pain Score AFTER Pain Score BEFORE


Pain Score AFTER

| PARKINSON'S DISEASE | CASE #1 |
|-----------------------------------|----------|
| Nationality | Italian |
| Gender | Male |
| Age | 83 |
| PDQ-8 BEFORE | 65.00 |
| PDQ-8 AFTER | 28.00 |
| Onset of Action Minutes | 17.00 |
| Duration of Action Minutes | 210.00 |
| Prescription | THC 10mL |
| Dosage | 5mg THC |





| PARKINSON'S DISEASE | CASE #2 |
|-----------------------------------|----------|
| Nationality | Canadian |
| Gender | Male |
| Age | 63 |
| PDQ-8 BEFORE | 48.00 |
| PDQ-8 AFTER | 14.00 |
| Onset of Action Minutes | 15.00 |
| Duration of Action Minutes | 90.00 |
| Prescription | THC 10mL |
| Dosage | 15mg THC |



| PARKINSON'S DISEASE | CASE #3 |
|-----------------------------------|----------|
| Nationality | American |
| Gender | Male |
| Age | 67 |
| PDQ-8 BEFORE | 80.00 |
| PDQ-8 AFTER | 55.00 |
| Onset of Action Minutes | 20.00 |
| Duration of Action Minutes | 150.00 |
| Prescription | THC 10mL |
| Dosage | 20mg THC |



Duration of Action Minutes

20.00

Onset of Action Minutes



NUTTAMON LE MEN; MD.



DOCTORNUTTAMON 1978@GMAIL.COM



090-944-5978

GPO

องค์การเภสัชกรรม

75/1 ถ.พระรามที่ 6 ราชเทวี กรุงเทพฯ 10400

21 SEPTEMBER 2021

เรียน องค์การอาหารและยา และ องค์การเภสัชกรรม,

เรื่อง ขอปรึกษาเรื่องความต้องการน้ำมันกัญชาที่มีความเข้มข้นของ THC ให้เพิ่ม สูงขึ้นให้กับผู้ป่วย


เนื่องจาก ดิฉัน แพทย์หญิง นัทธมน ลี เมน เป็นแพทย์ประจำที่ พัทยา ชลบุรี ทำ หน้าที่ในการดูแลและรักษาคนใช้ที่มีโรคประจำตัวที่เข้าได้และต้องการรักษาด้วย น้ำมันกัญชามาเป็นเวลามากกว่า 1 ปี โดยคนใช้ส่วนใหญ่เป็นชาวต่างชาติที่มีอาการ ป่วยเรื้อรัง และมีจำนวนมากกว่า 60% เป็นคนใช้ที่ได้รับการรักษาด้วยน้ำมันกัญชา มาจากประเทศของตนมาก่อนทั้งสิ้น จากการรักษาพบว่า การตอบสนองอยู่ใน เกณฑ์ที่ดี หากแต่ปริมาณความเข้มข้นของ THC อยู่ในเกณฑ์ที่ต่ำกว่าเกณฑ์ที่คนใช้ ส่วนใหญ่เคยได้รับ ดังนั้นจึงทำให้คนใช้ต้องใช้ยาในปริมาณที่สูง หากทางประเทศ ไทยสามารถผลิตน้ำมันกัญชาที่มีปริมาณความเข้มข้นของ THC ที่สูงมากกว่านี้ จะ เป็นการดีต่อผู้ป่วยในการบริหารยา ซึ่งคนใช้มากกว่า 60% ได้แจ้งความประสงค์ที่ อยากจะได้น้ำมันกัญชาที่มีความเข้มข้นของสาร THC ที่มากกว่าเดิมค่ะ ปริมาณที่ แนะนำให้จัดการผลิต คือ 81mg/mL


จึงเรียนมาปรึกษาและพิจารณาค่ะ

ขอแสดงความนับถือ แพทย์หญิง นัทธมน ลี เมน



Thai Pharmacists & Veterinarians







| nnsesse: ○ Anhoon ® Gegenera(S | m 2 | | | | | |
|--|---|-----------------------------|---------------------------------|---------------------|---|---|
| บยา : 1/2/2563 การครวจ : ○ สัสกับภ ® ลักสุภาก(โ | | | | | | |
| nnsesse: ○ Anhoon ® Gegenera(S | | | | | | |
| | | | | | | |
| ณ์ไม่ที่งประสงค์ : 🔾 น่อนอดคุกรณ์ไม่ตั | (41997) E 25/09/2968 * | | | | | |
| and the state of t | โดเประสงค์ 📵 พบบพลุกกรณ์ไม่พิศประสงค์(ใบรลกรเ | อกรายคะเลียดในส่วนที่ 6) | | | | |
| ารใช้ยาอื่นๆ : 💿 าละกาญขาดต่างเลือา C | 7 วิธีราคกับเกลินๆ | | | | | • |
| เพี่ 1 รับบุทพม่วยงานศีวิจักกรรักษา ชาวจะรวง | | forte | | | | |
| 99u sneliún | | ชสบุรี | | | | |
| nightlingen/comigniservinus methodjo idensira. Il cara | | | | | | |
| บุความเชี่ยวชาญ | | | | | | |
| ion ประกอบวิชาชีพเวชกรรม | | ndelluoqilli RA10035 | | | | |
| | | ⊙ űnarészezme | | | | |
| | | O třařín | | | | |
| เพื่ 2 ซึ่งมูลทั่วให้ผู้ข้าย | | | | | | |
| | érénévlovanya | | in | revisioname(ttelio) | | |
| 103-3-000588 | ADITI JAIN | | Justin 23 | 561939 | | |
| ະເກກ | เชื้อชาติ : อินเดีย | Vollandido 13/04/2533 ** | 60.2 | | истыйы (BP) / mmhg | |
| ∯03uson | เทศ : หญิง | 678) 29 | 168 | | 105 y 60 Tenn (HP) / Spre | |
| ຫຼີບ່ານໃນ | | 69 | | 168. | 86 | |
| | | | | | gravaja (81) / *C 36,5 | |
| เครรภ์(เฉพาะเพศหญิง) | ให้นมบุตร(เฉพาะเทศหญิง) | คื่มแอลกอฮอล์ | สูบบุหรี่ | | โรคประจำตัว 💿 นม 🔾 ธ | |
| 18 0 | O H | ## Jajea.na | dndn | | (20) | |
| Tuffié | ● 1414 | O tutte | ○ 1siqu | | | |
| Talenton | O ™mru | | | | อาการแพ้ยา 💿 ъ.ถ. 🔾 ส | |
| | | | | | (seu) | |
| | | Quīviln | | | | |
| เพื่ 3 รับบุคการใช้เพิ่มกัดสำคัญชา | | | | | | |
| | | | | 0 | ยังเดงรับมูลการใช้ขา(การโมสดงวันที่เรือตัวขาให้ถูกต้อง) | |
| 1/4/1 65/H Southeland 01/02/03/03 GPO THC:CBD(1 | 1) | | errede 1620032 | | | |
| ou severaliti | | | | | | |
| iiiu = 2 | YUR | • 1 | | ครื่อ | | |
| อดให้สิ้น | succellin | | | | | |
| ลาการใช้ยา 🗆 ฝา 🗆 กลากัน 🗆 | iθe ₫ foquore 50 | 7s | | | | |
| THE REAL PROPERTY. | | | | | | |
| คหรือสาเหตุที่ใช้ผลิตภัณฑ์กัญชา | | | | | | |
| n × NONORGANIC INSOMNIA | | | | 01 | LISTANTYS | |
| | | | | | | |

| สารแสนาราช ในการเคลื่อนไทว : |
|--|
| ความสามารถในการเคลื่อนโรว โมชิสุขา ชิสุขาสันสม ชิสุขาสาสันย ชิสุขาสาสาสาร ชิสุขาสาสาสาร ชิสุขาสาสาสาร ชิสุขาสาสาสาร ชิสุขาสาสาสาร ชิสุขาสาสาสาร ชิสุขาสาสาร ชิสุขาสาร ชิสุขาสาสาร ชิสุขาสาร ชิจุขาสาร ชิสุขาสาร ชิ |
| การทำวังสาประจำรับ : |
| ความก้ายแรง รางเปลี่ยนโดกลอบเคียงข้อเสียง รางเกี่ยวการเกี่ยว รางเกี่ยวการะเกี่ยวการเกี่ยวการเกี่ยวการเกี่ยวการเกี่ยวการเกี่ยวการเกี่ยวการะ |
| ความก้ายแรง |
| ๑ ร้างเกาส์อ(เรื่องของเพียงกับสิ่น) ๑ อังเการอังโล ๑ ๑ เกาส์อังเล่ารับเการที่งานไม่เพลงบาก ๑ เก่าได้เพิ่นของระบางเป็น เพลงที่ของเการบริเภาและเล่าก ๑ เกาะเล้าแก่สังเล่ารับเล่ารับเการที่รุป ๑ เก็บสิ่นแรง ๑ เก็บสิ่นแรง ๑ เก็บสิ่นแรง ๑ เก็บสิ่นแรง ๑ เก็บสิ่นแรง ๑ เก็บสิ่นและเล่ารับเล่าเด็นและเล่ารับและเล่ารับและเล่ารับเล่าเล่าเล่ารับเล่าเล่าเล่ารับเล่าเล่าเล่าเล่าเล่าเล่าเล่าเล่าเล่าเล่า |
| เมื่อเรื่อง เมื่อเรื่อง เมื่อเรื่อง เมื่อเรื่อง เมื่อเลือง |
| เหตุการณ์ไม่พึงประสงค์ที่พบ (บรรยายลักษณะที่พบ และ/หรือ ศัพท์วิชาการ) เลือก ผลสัพธ์ |
| ผลลัพธ์ ○ พระบินเวลิโดยในมีร่องระยงลัด ○ ทายโดยมีร่องระยงลัด ○ อากาสรี่นแต่จังให่พาย ○ จังมีอาการอยู่ ○ เลิงซีโด(เลือกดบระที่จะร่องสังกั) ○ ไม่สามารอภัดตามหลได้ ระดับความสัมพันธ์ วิธีประเมินแบบ ○ Naranjo's ○ Thai algorithm ○ WHO ○ ความเห็นผู้เพียงชาญ* ○ อ็นๆ *********************************** |
| ผลลัพธ์ ○ ทางป้างปละโดยในมีรังกรองเลิน ○ ทางโดยมีร่องกอยเลิน ○ อากาสที่ขณะ่องให่พาย ○ อังมีอาการอยู่ ○ เลิงซีโด(เลือกดองเพิ่องร่องสังก) ○ ไม่สามารอภัดตาลหลได้ ระดับความสัมพันธ์ วิธีประเมินแบบ ○ Naranjo's ○ Thai algorithm ○ WHO ○ ความเห็นผู้เรี่ยวชาญ* ○ อ็นๆ *********************************** |
| ○ พายเป็นปกลิโลยไล่ที่ร่องรอบลัล ○ หายโดยสีร่องรอบลัล ○ อากาลิซึ่นแต่จีงให่หาย ○ ยังมีอาการอยู่ ○ เลียซิโด(เลือกดอบเพิ่มข้อเลียา) ○ ไม่สามารอภัดตามผลได้ ระดับความสัมพันธ์ วิธีประวมในแบบ ○ Naranje's ○ Thai algorithm ○ WHO ○ ความเดินผู้เพียวทาง / อันๆ คอการประเมิน • ออการประเมิน • Officin Otivin |
| ริธีประเพิ่มแบบ (Naranjo's () Thai algorithm () WHO () ความเพิ่มผู้เกี่ยวชาญ" () ยินๆ แกการประเมิน |
| Ochuments Others Others |
| Oxioneros Oxioneros |
| |
| สามที่ 7 ชัดบุลเลขาะห้องปฏิบัติการที่มีสบาที |
| |
| mytmensillemin Lab Allminit |
| Chocosa File No file chosen □ ਪੁੱਖਗੌਂnใਲੇਵੰਡਪਾ □ ਪੁੱਖਗੌਂnใਲੇਵੰਡਪਾ □ ਪੁੱਖਗੌਂn ਲਿੰਦ ਸ਼ਿਲ੍ਹ ਸ਼ੁਰੀ □ ਪੁੱਖਗੌਂn ਲਿੰਦ ਸ਼ੁਲ੍ਹ ਸ਼ੁਰੀ |
| สารณี 8 จัดบุละลการรักษา (ความเพิ่มของเมพาย์ผู้ให้การรักษา) |
| O อาจารผู้บ้ายพิธีน O อาการผู้บ้ายแม่น O อาการผู้บ้ายแม่นที่ยนแปลง ระบุกายุกก |
| การประเมินการเสพติดและการนำยาไปใช้ในทางที่ผิด |
| O พบแนวให้เหตุ้ยวะใช้ยาในทางที่จัด O ไม่พบแนวให้หตุ้ยวยใช้ยาในทางที่จัด |
| ผลประเมินคุณภาพซีวิต คะแนกระหะเล |
| ⊙ třeřín |































